

WORKPLACE & ENVIRONMENTAL SOLUTIONS

Over 35 years of support & customer service to the mechanical & industrial repair industries

SPILL KITS | ABSORBENTS | BUNDED SPILL CONTAINMENT UNITS | DANGEROUS GOODS STORAGE CABINETS



PRODUCT CATALOGUE

Spill Absorbents

Spill Response Kits

Dangerous Goods Cabinet

IBC Containment

Drum Handling

Bunded Spill Pallets

Fast Acting Absorbents

Stormwater Protection

Biohazard Spill Kits

Portable Bunding









www.roarsolutions.com.au | info@roarsolutions.com.au

Ph: 04 1234 ROAR









Contents

| General Purpose Spill Kits and Absorbents | 1-3 |
|--|-------|
| Spill Kit Options and Accessories | 4 |
| Hazchem Spill Kits and Absorbents | 5-8 |
| Oil and Fuel Spill Kits & Absorbents | 9-12 |
| Laboratory & Medical Spill Control Equipment | 13 |
| Spill Response Trailers & Custom Spill Kits | 14 |
| Quickbund Portable Bunding System | 15 |
| Drum and IBC Spill Containment Systems | 16-20 |
| Low-Profile Spill Containment Decks | 21-22 |
| Dangerous Goods Storage Cabinets | 23-24 |
| Emergency Eye/Facewash Equipment | 25-26 |
| Emergency Showers and Eyewash Equipment | 27-30 |
| Self Contained Tank Shower and Eyewash | 31-32 |
| Drum Handling & Decanting Equipment | 33-34 |
| Drive-Over Bunding and Car Washpads | 35 |
| Stormwater Protection Equipment | 36 |
| Drip/Catchment Trays and Drum Overpacks | 37-38 |
| Bins, Storage Containers, Trolleys and Carts | 39 |
| Spill Response Companion Equipment | 40 |
| Signage | 41 |
| Water Treatment & Filtration Equipment | 42 |
| PPE and Spill Clean Up Equipment | 43 |

Sukerup General Purpose Absorbents

Because spills can happen anywhere, Spill Station Australia offer two types of General Purpose Absorbent so the absorbent you get is right for the job. Both are 100% natural, highly absorbent and free of harmful chemical residues.















Sukerup Organic General Purpose Absorbent

- Contains no harmful dust to ensure a safe spill cleanup.
- Reduce clean up time and disposal costs by more than half.
- One 50L bag absorbs as much as 4 x 20kg bags of "kitty litter".
- A 50 litre bag will absorb up to 60 litres of spill.
- Made from an annually renewable resource.
- No chemical residues.
- EPA approved.
- Fast acting.

OA50LOA15LDA15LDA15LBag Sukerup Organic Absorbent













General Purpose Spill Containment Booms

SAU105 1.5m x 100mm GP Containment Boom
MLB103 3.0m x 100mm GP Containment Boom





Sukerup Mineral Sponge Granular Absorbent

- Will not break down and become slippery when wet.
- Available in workplace safe 10kg.
- Safer than clay based granules.
- Liquids stay "locked inside".
- Absorbs up to 50% more than "kitty litter"
- Meets EPA requirements for solid waste disposal

MS10

10Kg Bag Super Absorbent Mineral Sponge









General Purpose Spill Response Kits

A free of charge Spill Kit training pack including demonstration DVD and Powerpoint presentation is available upon request with Spill Kit purchase.





| | Qty | TSS240GP 270L GP Spill Kit |
|--------------------------|-----|-----------------------------------|
| S | 50 | 480x430mm Hazchem Absorbent Pads |
| ABSORBS UP TO 270 LITRES | 3 | 50 Litre Bag Sukerup GP Absorbent |
| 702 | 4 | 1.5m x 75mm General Purpose Boom |
| 0.5 | 2 | 3.0m x 75mm General Purpose Boom |
| | 10 | Contaminated Waste Bags |
| BS | 2 | Pair Oil Resistant Gloves |
| SSOF | 1 | Weather Resistant Kit Cap |
| H | 1 | Adhesive Wall Locator |
| | 1 | 240 Litre Labelled Mobile Bin |
| | | |



| | Qty | TSS240LR Ergonomic GP Spill Kit |
|--------------------------|-----|-----------------------------------|
| S | 50 | 480x430mm Hazchem Absorbent Pads |
| | 3 | 50 Litre Bag Sukerup GP Absorbent |
| _ 20 | 4 | 1.5m x 75mm General Purpose Boom |
| 0.5 | 2 | 3.0m x 75mm General Purpose Boom |
| 밀 | 10 | Contaminated Waste Bags |
| SBS | 2 | Pair Oil Resistant Gloves |
| ABSORBS UP TO 270 LITRES | 1 | Weather Resistant Kit Cap |
| ¥ | 1 | Adhesive Wall Locator |
| | 1 | 220 Litre Labelled Lo-Rise Bin |



| 4 | Uty | ISS/WKS Workshop Spill Kit |
|--------------------------|-----|-----------------------------------|
| S | 40 | 480x430mm Hazchem Absorbent Pads |
| | 3 | 50 Litre Bag Sukerup GP Absorbent |
| | 2 | 1.5m x 75mm General Purpose Boom |
| 0 21 | 2 | 3.0m x 75mm General Purpose Boom |
| 급 | 10 | Contaminated Waste Bags |
| BS | 2 | Pair Oil Resistant Gloves |
| ABSORBS UP TO 200 LITRES | 1 | Weather Resistant Kit Cap |
| ¥ | 3 | Tamper Evident Seals |
| | 1 | 240 Litre Mobile Bin |
| | | |

General Purpose Spill Response Kits



| Qty | TSS180GP All-In-One GP Spill Kit |
|-----|-----------------------------------|
| 50 | 480x430mm Hazchem Absorbent Pads |
| 6 | 15 Litre Bag Sukerup GP Absorbent |
| 2 | 1.5m x 75mm General Purpose Boom |
| 2 | 3.0m x 75mm General Purpose Boom |
| 5 | XL Waste Bags |
| 2 | Pair Oil Resistant Gloves |
| 1 | PPE Kit / MSDS Sleeve |
| 1 | Sparkproof Shovel |
| 1 | Yard Broom |
| 1 | Adhesive Wall Locator |
| 1 | Labelled Poly Cart |
| | 50 6 2 2 5 |



| Qty | TSS120GP 100L GP Spill Kit |
|-----|-----------------------------------|
| 50 | 240x430mm Hazchem Absorbent Pads |
| 1 | 50 Litre Bag Sukerup GP Absorbent |
| 2 | 1.5m x 75mm General Purpose Boom |
| 1 | 3.0m x 75mm General Purpose Boom |
| 5 | Contaminated Waste Bags |
| 1 | Pair Oil Resistant Gloves |
| 1 | Laminated Instruction Sheet |
| 1 | Weather Resistant Kit Cap |
| 1 | Adhesive Wall Locator |
| 1 | 140 Litre Labelled Mobile Bin |
| | 50 1 2 1 5 |



| 4 | Qty | TSS32GP Vehicle GP Spill Kit |
|---------------|-----------------------|---|
| LITRES | 10 | 480x430mm Hazchem Absorbent Pads |
| 늘 | 1 | 15 Litre Bag Sukerup GP Absorbent |
| 32 | 1 | 1.5m x 75mm General Purpose Boom |
| P 1 | 2 | Contaminated Waste Bags |
| 3S U | 1 | Pair Oil Resistant Gloves |
| SOR | 1 | Dustpan and Brush |
| AB | 1 | Adhesive Wall Locator |
| | 1 | Weather Resistant Zip-Top Bag |
| ABSORBS UP TO | 2 1 1 1 1 | Pair Oil Resistant Gloves Dustpan and Brush Adhesive Wall Locator |



Hazchem Absorbents

Spill Station Hazchem Absorbents are made from polypropylene microfibres and have excellent chemical resistance and outstanding absorbent cababilities. This absorbent is suitable to use with most liquids including acids and caustics.





DOUBLE WEIGHT HAZCHEM ABSORBENT PADS

Turn liquids hazards into easily managed solids. Each pads can absorb up to 1.8 litres.

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|------------|------------------------|-----------|-----|
| PAD305/10 | Hazchem Absorbent Pads | 480x430mm | 10 |
| PAD305/50 | Hazchem Absorbent Pads | 480x430mm | 50 |
| PAD305/100 | Hazchem Absorbent Pads | 480x430mm | 100 |
| PAD304/25 | Hazchem Absorbent Pads | 240x430mm | 25 |



REGULAR WEIGHT HAZCHEM ABSORBENT PADS

When dealing with small spills of under 1 litre, the Regular Weight Pads can be a more cost effective option.

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|------------|------------------------|-----------|-----|
| PAD306/50 | Hazchem Absorbent Pads | 480x430mm | 50 |
| PAD306/100 | Hazchem Absorbent Pads | 480x430mm | 100 |
| PAD306/200 | Hazchem Absorbent Pads | 480x430mm | 200 |
| PAD301/25 | Hazchem Absorbent Pads | 240x430mm | 25 |



HAZCHEM ABSORBENT PAD DISPENSER BOX

This handy absorbent pad dispenser box can be placed on a workbench or mounted on the wall.

| ITEM CODE | DESCRIPTION | SIZE |
|-----------|---|---------------|
| PAD30640 | Single Weight Pad Dispenser Box Containing 40 x Hazchem Pads | 500x500x140mm |
| PAD30520 | Double Weight Pad Dispenser Box Containing 20 x Hazchem Pads | 500x500x140mm |



REGULAR WEIGHT AND DOUBLE WEIGHT HAZCHEM ABSORBENT BLANKET ROLLS

Tear absorbent material to size required or roll out for fast coverage over large areas. See page 34 for EBR309 roll dispenser.

| ITEM CODE | DESCRIPTION | SIZE |
|-----------|-----------------------------|----------|
| EBR307 | Hazchem Double Weight Roll | 46x960mm |
| EBR308 | Hazchem Double Weight Roll | 46x480mm |
| EBR309 | Hazchem Regular Weight Roll | 50x500mm |



HAZCHEM ABSORBENT BOOMS

Absorbent Booms are an effective way to contain and divert spills on all hard surfaces.

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|-------------|-------------------------|-----------|-----|
| EMB12100 | Hazchem Absorbent Booms | 1.2mx75mm | 1 |
| EMB12100/10 | Hazchem Absorbent Booms | 1.2mx75mm | 10 |
| EMB30100 | Hazchem Absorbent Booms | 3.0mx75mm | 1 |
| EMB30100/10 | Hazchem Absorbent Booms | 3.0mx75mm | 10 |



HAZCHEM ABSORBENT PILLOWS

Place under leaking drums and equipment to turn your liquid hazard into an easily managed solid.

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|-----------|---------------------------|------------|-----|
| EAP305/10 | Hazchem Absorbent Pillows | 250mx450mm | 10 |
| EAP306/10 | Hazchem Absorbent Pillows | 450mx450mm | 10 |
| EAP307/10 | Hazchem Absorbent Pillows | 350mx450mm | 10 |



HAZCHEM ABSORBENT DRIP TRAYS

Contain and absorb drips from taps when decanting from drums in a horizontal position.

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|-----------|-------------------------------|-----------|-----|
| CDT301 | Hazchem Absorbent Drip Tray | 275x275mm | 10 |
| EAP302/10 | Replacement Drip Tray Pillows | 250x250mm | 10 |

Hazchem Spill Response Kits

Spill Station Hazchem Spill Kits are suitable for a wide range of acids, caustics, hydrocarbons and general liquids. See page 41 for signage options.





| 4 | Qty | TSS660EA 800L Hazchem Spill Kit | |
|---------------|-----|--------------------------------------|--|
| | 150 | 480x430mm Hazchem Absorbent Pads | |
| LITRES | 1 | 46mx480mm Hazchem Absorbent Roll | |
| 늘 | 10 | 3mx75mm Hazchem Absorbent Booms | |
| 870 | 10 | 1.2mx75mm Hazchem Absorbent Booms | |
| 2 | 20 | Contaminated Wasted Bags and Ties | |
| ABSORBS UP TO | 2 | 800g Plugitup Repair Putty | |
| ORB | 4 | Pair Neoprene Gloves | |
| ABS | 4 | Disposable Overalls | |
| | 4 | Splash Goggles | |
| | 1 | Labelled 660L Bin w/ Lockable Wheels | |



| Qty | TSS300EA 400L Hazchem Spill Kit |
|-----|-----------------------------------|
| 150 | 480x430mm Hazchem Absorbent Pads |
| 3 | 3mx75mm Hazchem Absorbent Booms |
| 4 | 1.2mx75mm Hazchem Absorbent Booms |
| 10 | Contaminated Wasted Bags and Ties |
| 2 | Pair Neoprene Gloves |
| 1 | Adhesive Wall Locator |
| 1 | Laminated Instruction Sheet |
| 4 | Weather Resistant Kit Cap |
| 1 | Labelled Blue 240L Mobile Bin |
| | 150 3 4 10 2 1 |



| 4 | uty | 15506K Dangerous 6000 Spill Kit | |
|---------------|-----|-----------------------------------|--|
| | 100 | 480x430mm Hazchem Absorbent Pads | |
| RES | 1 | 3mx75mm Hazchem Absorbent Booms | |
| 205 LITRES | 2 | 1.2mx75mm Hazchem Absorbent Booms | |
| 202 | 10 | Contaminated Wasted Bags and Ties | |
| 21 | 1 | Pair Neoprene Gloves | |
| ABSORBS UP TO | 1 | Disposable Overalls | |
| ORB | 1 | Splash Goggles | |
| ABS | 1 | 800g Pluitup Repair Putty | |
| | 3 | Tamper Evident Seals | |
| | 1 | Labelled Blue 240L Mobile Bin | |
| | | | |

Hazchem Spill Response Kits









| 4 | Qty | TSS120EA 120L Hazchem Spill Kit | |
|--------------------------|-----|-----------------------------------|--|
| လ | 100 | 240x430mm Hazchem Absorbent Pads | |
| | 1 | 3mx75mm Hazchem Absorbent Booms | |
| ABSORBS UP TO 120 LITRES | 2 | 1.2mx75mm Hazchem Absorbent Booms | |
| 0 1, | 5 | Contaminated Wasted Bags and Ties | |
| PT | 1 | Pair Neoprene Gloves | |
| (BS) | 1 | Adhesive Wall Locator | |
| 350F | 1 | Laminated Instruction Sheet | |
| A | 1 | Weather Resistant Kit Cap | |
| | 1 | Labelled Blue 140L Mobile Bin | |

| S | Qty | TSS50EA 50L Hazchem Spill Kit | |
|---------------|-----|-----------------------------------|--|
| TE | 50 | 240x430mm Hazchem Absorbent Pads | |
| 50 LITRES | 3 | 1.2mx75mm Hazchem Absorbent Booms | |
| 9 | 3 | Contaminated Wasted Bags and Ties | |
| ⊸ | 1 | Pair Neoprene Gloves | |
| RBS | 1 | Adhesive Wall Locator | |
| ABSORBS UP TO | 1 | Laminated Instruction Sheet | |
| A | 1 | Weather Resistant Zip-Top Bag | |

| 20 | Qty | TSS20EA 20L Hazchem Spill Kit |
|-------------------------|-----|-----------------------------------|
| ABSORBS UP TO 20 LITRES | 10 | 480x430mm Hazchem Absorbent Pads |
| | 1 | 1.2mx75mm Hazchem Absorbent Booms |
| 0 2 | 2 | Contaminated Wasted Bags and Ties |
| an l | 1 | Pair Neoprene Gloves |
| RBS | 1 | Adhesive Wall Locator |
| BS0 | 1 | Laminated Instruction Sheet |
| A | 1 | Weather Resistant Zip-Top Bag |

| 4 | Qty | ISSBSK Battery Acid Spill Kit |
|-------------------------|-----|-----------------------------------|
| S | 2 | 480x430mm Hazchem Absorbent Pads |
| | 1 | 1.2mx75mm Hazchem Absorbent Booms |
| 2 | 1 | 7L Acid Neutralising Absorbent |
| 2 | 1 | Contaminated Wasted Bags and Ties |
| SUF | 1 | Pair Neoprene Gloves |
| ABSORBS UP TO 10 LITRES | 1 | Adhesive Wall Locator |
| ABS | 1 | Laminated Instruction Sheet |
| | 1 | Weather Resistant Zip-Top Bag |
| | | |

Oil/Fuel Absorbents

Spill Station Oil/Fuel Absorbents are made of melt-blown polyproplene micro-fibres. This super-absorbent material repels water and will absorb hydrocarbons off both land and water surfaces.





| DOUBLE WEIGHT OIL/FUEL ABSORBENT PADS | | | |
|---------------------------------------|-------------------------|-----------|-----|
| ITEM CODE | DESCRIPTION | SIZE | QTY |
| PAD203/10 | Oil/Fuel Absorbent Pads | 480x430mm | 10 |
| PAD203/50 | Oil/Fuel Absorbent Pads | 480x430mm | 50 |
| PAD203/100 | Oil/Fuel Absorbent Pads | 480x430mm | 100 |
| PAD202/25 | Oil/Fuel Absorbent Pads | 240x430mm | 25 |



| REGULAR WEIGHT OIL/FUEL ABSORBENT PADS | | | |
|--|-------------------------|-----------|-----|
| ITEM CODE DESCRIPTION SIZE | | QTY | |
| PAD210/50 | Oil/Fuel Absorbent Pads | 480x430mm | 50 |
| PAD210/100 | Oil/Fuel Absorbent Pads | 480x430mm | 100 |
| PAD210/200 | Oil/Fuel Absorbent Pads | 480x430mm | 200 |
| PAD209/25 | Oil/Fuel Absorbent Pads | 240x430mm | 25 |




| OIL/FUEL ABSORBENT PAD DISPENSER BOX | | |
|--------------------------------------|---|---------------|
| ITEM CODE | DESCRIPTION | SIZE |
| PAD21040 | Regular Weight Pad Dispenser Box Containing 40 x Oil/Fuel Pads | 500x500x140mm |
| PAD20320 | Double Weight Pad Dispenser Box Containing 20 x Oil/Fuel Pads | 500x500x140mm |



| | OIL/FUEL ABSORBENT BLANKET ROLLS | | |
|---|----------------------------------|--|-----------|
| | ITEM CODE | DESCRIPTION | SIZE |
| | BR202 | Double Weight Oil/Fuel Absorbent Roll | 46mx960mm |
| | BR215 | Regular Weight Oil/Fuel Absorbent Roll | 50mx1m |
| Ī | BR211 | Regular Weight Oil/Fuel Absorbent Roll | 50mx500mm |
| | | | |







FLOATING OIL/FUEL ABSORBENT BOOMS

Suitable for containing spill of oils, fuels and other hydrocarbons on water surfaces.

| Ī | ITEM CODE | DESCRIPTION | SIZE | QTY |
|---|-----------|-------------------------|------------|-----|
| | FB222/4 | Floating Oil/Fuel Booms | 3.0mx125mm | 4 |
| | FB201/4 | Floating Oil/Fuel Booms | 3.0mx200mm | 4 |
| | FB214/2 | Floating Oil/Fuel Booms | 6.0mx200mm | 2 |



OIL/FUEL ABSORBENT DRIP TRAY

Collect incidental drip from under oil and fuel dispensing taps and turn them into an easily managed solid instantly. Perfect for use with the Mobile Despensing Unit (page 26)

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|-----------|-------------------------------|------------|-----|
| HDT201 | Oil/Fuel Absorbent Drip Tray | 275mx275mm | 1 |
| DB202/10 | Drip Tray Replacement Pillows | 250mx250mm | 10 |



OIL/FUEL ABSORBENT PILLOWS

Suitable for placing under machinery and drums leaking oils and fuels. The DB207 pillow repels water and has a tether-ring to secure in drain pits and boat bilges.

| ITEM CODE | DESCRIPTION | SIZE | QTY |
|-----------|---------------------------|-----------|-----|
| DB205/10 | Oil/Fuel Absorbent Pillow | 250x450mm | 10 |
| DB206/10 | Oil/Fuel Absorbent Pillow | 450x450mm | 10 |
| DB207/10 | Oil/Fuel Absorbent Pillow | 350x450mm | 10 |

Oil/Fuel Spill Control Kits

The absorbents in Spill Station Oil/Fuel Spill Control Kits repel water and waterbased liquids and absorb oil, fuels and other hydrocarbons. These spill kits contain no loose absorbent so brooms and shovels are not needed for spill cleanup.





| 4 | Qty | TSS660W 770L Oil/Fuel Spill Kit | |
|--------------------------|-----|--------------------------------------|--|
| | 150 | 480x430mm Oil/Fuel Absorbent Pads | |
| RES | 1 | 46m x 480mm Oil/Fuel Absorbent Roll | |
| ABSORBS UP TO 770 LITRES | 10 | 3m x 75mm Oil/Fuel Absorbent Boom | |
| 770 | 10 | 1.2m x 75mm Oil/Fuel Absorbent Boom | |
| 2 | 20 | Contaminated Waste Bags and Ties | |
| SUF | 2 | 800g Plugitup Repair Putty | |
| ORB | 4 | Pair Oil Resistant Gloves | |
| ABS | 4 | Disposable Overalls | |
| | 4 | Splash Goggles | |
| | 1 | Labelled 660L Bin w/ Lockable Wheels | |



| 4 | Qty | TSS240W 400L Oil/Fuel Spill Kit |
|--------------------------|-----|-------------------------------------|
| လ | 150 | 480x430mm Oil/Fuel Absorbent Pads |
| ABSORBS UP TO 400 LITRES | 3 | 3m x 75mm Oil/Fuel Absorbent Boom |
| | 4 | 1.2m x 75mm Oil/Fuel Absorbent Boom |
|)7 0 | 10 | Contaminated Waste Bags and Ties |
| P I | 2 | Pair Oil Resistant Gloves |
| (BS | 4 | Adhesive Wall Locator |
| 3S0F | 1 | Laminated Instruction Sheet |
| A | 1 | Weather Resistant Kit Cap |
| 7 | 1 | Labelled Red 240L Mobile Bin |
| • | | |



| | Qty | TSSMK1 190L Marine Spill Kit |
|--------------------------|-----|-------------------------------------|
| | 10 | 480x430mm Oil/Fuel Absorbent Pads |
| လ | 1 | 46m x 480mm Oil/Fuel Absorbent Roll |
| 뽈 | 3 | Oil/Fuel Absorbent Pillow |
| 1 06 | 2 | 3m x 125mm Floating Absorbent Boom |
| ABSORBS UP TO 190 LITRES | 10 | Contaminated Waste Bags and Ties |
| I I | 2 | Pair Oil Resistant Gloves |
| SBS | 1 | Adhesive Wall Locator |
| 380 | 1 | Laminated Instruction Sheet |
| ¥ | 3 | Tamper Evident Seals |
| | 1 | Weather Resistant Kit Cap |
| 7 | 1 | Labelled Red 240L Mobile Bin |

Oil/Fuel Spill Control Kits

Flammable goods storage on page 23. See page 41 for spill kit and signage options. Fire extinguisher details on page 40.



| 4 | Qty | TSS120W 120L Oil/Fuel Spill Kit |
|--------------------------|-----|-------------------------------------|
| رم | 100 | 240x430mm Oil/Fuel Absorbent Pads |
| | 1 | 3m x 75mm Oil/Fuel Absorbent Booms |
| | 2 | 1.2m x 75mm Oil/Fuel Absorbent Boom |
| ABSORBS UP TO 120 LITRES | 5 | Contaminated Waste Bags and Ties |
| <u>P</u> 10 | 1 | Pair Oil Resistant Gloves |
| BS U | 1 | Adhesive Wall Locator |
| SOR | 4 | Laminated Instruction Sheet |
| AB | 4 | Weather Resistant Kit Cap |
| ┫ | 4 | Labelled Red 240L Mobile Bin |
| • | | |





| S | Qty | TSS50W 50L Oil/Fuel Spill Kit |
|-------------------------|-----|-------------------------------------|
| IR | 50 | 240x430mm Oil/Fuel Absorbent Pads |
| | 3 | 1.2m x 75mm Oil/Fuel Absorbent Boom |
| ABSORBS UP TO 50 LITRES | 3 | Contaminated Waste Bags and Ties |
| 립 | 1 | Pair Oil Resistant Gloves |
| SBS | 1 | Adhesive Wall Locator |
| 320 | 1 | Laminated Instruction Sheet |
| Ā | 1 | Weather Resistant Zip-Top Bag |





| S | Qty | TSS20W 20L Oil/Fuel Spill Kit |
|-------------------------|-----|-------------------------------------|
| TRE | 10 | 480x430mm Oil/Fuel Absorbent Pads |
| | 1 | 1.2m x 75mm Oil/Fuel Absorbent Boom |
| ABSORBS UP TO 20 LITRES | 2 | Contaminated Waste Bags and Ties |
| UP 1 | 1 | Pair Oil Resistant Gloves |
| SBS | 1 | Adhesive Wall Locator |
| 3201 | 1 | Laminated Instruction Sheet |
| A | 1 | Weather Resistant Zip-Top Bag |

Laboratory & Medical Equipment









| Qty | ZTSSBHS Bio-Hazard Spill Kit |
|-----|-----------------------------------|
| 1 | 500ml Bio Hazard Absorbent Powder |
| 1 | 100ml Bottle Clinical Detergent |
| 1 | Face Mask & Eye Shield |
| 1 | Scoop and Scraper |
| 1 | Disposable Gloves |
| 1 | LDPE Disposable Apron |
| 2 | Clinical Waste Bags & Ties |
| 1 | Hygenic Skin Wipes |

| Qty | ZTSSCBF Cytotoxic Body Fluid Spill Kit |
|-----|--|
| 1 | 2.5L Bio Hazard Absorbent Powder |
| 1 | 100ml Bottle Clinical Detergent |
| 1 | Face Mask & Eye Shield |
| 1 | Scoop and Scraper |
| 1 | Disposable Gloves |
| 1 | Protective Gown |
| 2 | Cytotoxic Waste Bags |
| 1 | Overshoes and Haircap |
| 1 | Labelled 10L Pail with Instructions |

| Qty | ZTSSLAB Laboratory Spill Kit |
|-----|-------------------------------------|
| 1 | 2.5L Multi Purpose Absorbent Powder |
| 4 | Disposal Bags |
| 4 | Cleaning Cloths |
| 4 | Pair Disposable Gloves |
| 2 | Face Mask & Eye Shield |
| 2 | Disposable Apron |
| 2 | Scoop and Scraper |
| 1 | Labelled 10L Pail |

| Qty | ZTSSSDK Sharps Collection Kit |
|-----|--------------------------------|
| 1 | Medical Sharps Waste Container |
| 1 | Disposable Forceps |
| 1 | Clinical Waste Bag |
| 1 | Scoop and Scraper |
| 1 | Disposable Gloves |
| 1 | Hygenic Skin Wipes |
| 1 | Step-by-step Instructions |

Compact Spill Kits







Mid-Size Spill Kits





Over 20 years ago, the Australian Defence Forces approached Spill Station to design Spill Kits to meet the challenging environments in which they operate.

If your needs are not met by our standard range, we can customise our Spill Kits to address your requirements.

Variations include:

- Size or type of Spill Kit container
- House branding
- Specific spill response capacity
- Spill Kit components to your specifications
- Spill Kits to suit your workplace environment

Spill Response Trailers

Because the needs of our spill trailer customers and the environments they operate in are so diverse, each spill trailer is customised to provide the best outcome.

Our customers include:

- Mine sites
- Power generators
- Transport companies
- Local Government





Quickbund Portable Bunding





The Australian made Quickbund Portable Bunding System provides a safe and secure area for dealing with a wide range of liquids including acids, caustics, oils & fuels.

Manufactured from heavy duty XR-5, the high-frequency welded seams ensure no leaking and provide maximum strength.











The fold down walls allow for vehicle and forklift access.

The Quickbund can be erected in seconds without the need for tools. Simply position and unfold.

The Quickbund can be built to your meet your specific requirements.

Because it is so lightweight and portable, the Quickbund is ideal for all field applications including drill rigs, generators, refuelling & transformers.



The Quickbund can be fitted with a portable oil/water filter for outdoor use.

| ıt |
|----|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |





- Designed for safe and compliant storage of 4x205L drums.
- Made from 100% corrosion free polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1280mm | 1280mm | 275mm | 35kg | 230 Litre | 1250kg |



TSSBP4 4-Drum XL Spill Pallet

- Huge 410 litre sump for storage of containers up to 372L.
- Solid polyethylene construction for heavy loads.
- Suitable for up to 4 x 205L drums.
- Drain plugs come standard with all spill pallets
- Forkliftable when fully loaded

| Length | Width | Height | Weight | Sump | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1310mm | 1310mm | 370mm | 44kg | 410 Litre | 1250kg |



TSSBP3 3-Drum Spill Pallet

- Designed for safe and compliant storage of 3x205L drums.
- Seamless construction eliminates leaks.
- Meets EPA sump requirements.
- Broadband chemical resistance including acids & caustics.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1785mm | 780mm | 240mm | 35kg | 228 Litre | 900kg |



TSSPB2 2-Drum Spill Pallet

- Designed for safe and compliant storage of 2x205L drums.
- Made from 100% corrosion free seamless polyethylene.
- Two-way forklift access for loaded Spill Pallets.
- EPA compliant sumps in all Spill Pallets.
- Rain covers and ezy-load ramps are also available.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1220mm | 820mm | 330mm | 26kg | 240 Litre | 650kg |



TSSBP1 1-Drum Spill Pallet

- Designed for storage of 1 x 205L drum.
- Small footprint for compliant storage in small areas.
- Removable grate makes decontamination easy
- Drainplugs are a standard feature.
- Polyethylene construction for extra durability.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 900mm | 700mm | 525mm | 22kg | 225 Litre | 300kg |



- Protect you load from weather and theft.
- Key lockable ezy-lift Roll Top Cover large 410 litre sump
- suitable for holding 4 x 205L (44gal) drums
- Can be moved with a forklift when loaded
- removable non-slip grates
- raised lip helps to keep your load secure fitted with threaded drain plug

| Length | Width | Height | Weight | Sump | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1470mm | 1420mm | 2070mm | 115kg | 410 Litre | 1450kg |







TSSCP2 Hardcover 2-Drum Spill Pallet

- Lockable handle and side latches for secure storage.
- Gas struts for easy lowering and opening of the lid.
- Move with pallet jack or forklift when fully loaded.
- EPA compliant sumps in all Spill Pallets.
- Seamless polyethylene construction for extra strength.
- Excellent broadband chemical resistance.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1630mm | 940mm | 1420mm | 95kg | 260 Litre | 600kg |



Easy forklift access to stored pallets

TSSRB1 Pallet Racking Bund

- Turn standard pallet racking into bunded racking.
- Prevent contamination of goods stored below.
- Drain plug fitted for easy removal of spilled liquids.
- Utilises the "dead space" between the beams.
- Designed to provide easy access to pallets.
- 100% polyethylene for broadband chemical resistance. Racking not included

| Length | Width | Height | Weight | Sump | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1280mm | 1280mm | 245mm | 25kg | 410 Litre | 1450kg |






Spill Pallet Covers

- Protect the sump and the load from rainwater.
- Available for all sizes of Spill Pallets
- Welded seams and heavy-duty PVC prevents leakage.
- Shockcord elastic keeps the cover in place
- Fast and easy to remove and replace the cover.

| Item Code | Used With Item |
|-----------|------------------------------------|
| TSSBP4LC | TSSBP4L - 4-Drum Spill Pallet |
| TSSBP4SC | TSSBF4S - 4-Drum Inline Spill Deck |
| TSSBP3C | TSSBP3 - 3-Drum Spill Pallet |
| TSSBP2C | TSSBP3 - 3-Drum Spill Pallet |
| TSSBP1C | TSSBP1 - 1-Drum Spill Pallet |



Spill Pallet Ramps

These spill pallet ramps are made from tough polyethylene and are suitable to use with 2-Drum, 4-Drum and Roll Top Spill Pallets.

| Item Code | Length | Width | Height | Weight | Max Load |
|-----------|--------|--------|--------|--------|----------|
| TSSBP2R | 1740mm | 1000mm | 330mm | 36kg | 400kg |
| TSSBP4R | 1740mm | 1000mm | 240mm | 33kg | 400kg |
| TSSBPRTR | 1740mm | 1000mm | 370mm | 38kg | 400kg |











TSSBB1 Single IBC Spill Containment Unit With Grate

- Designed to hold 1 x IBC (1000L) tank.
- Huge 1100L sump complies with EPA requirements.
- Drain plugs fitted for easy removal of spilled liquids.
- Seamless design for maximum sump security.
- Tough polyethylene construction for maximum durability.
- Dispensing wells, IBC funnels and covers also available.

 Grate on top allowes for smaller drum & can be stored

| Length | Width | Height | Weight | Sump | Max Load |
|--------|--------|--------|--------|------------|----------|
| 1760mm | 1350mm | 710mm | 107kg | 1100 Litre | 1500kg |

TSSBB2 Dual IBC Spill Containment Unit With Grate

- Designed for 2 x IBC (1000L) tank or 8 x 250L drums.
- Huge 1140L sump exceeds EPA requirements.
- Drain plugs and removable grates for easy clean up.
- Robust & chemically resistant polyethylene construction.
- Dispensing wells, IBC funnels and covers also available.

| Length | Width | Height | Weight | Sump | Max Load | |
|--------|--------|--------|--------|------------|----------|--|
| 2560mm | 1350mm | 510mm | 136kg | 1140 Litre | 2500kg | |

Dispensing Wells For IBC Storage Units

- Attaches securely to any position around the bund.
- Catches drips & directs any overflow back into the sump.
- Big enough to hold 25 litre drums for safe decanting.
- Ideally suited for storing connected hoses when not in use.

| Item Code | Length | Width | Height | Sump | Use With |
|-----------|--------|-------|--------|----------|----------|
| TSSBB1T | 550mm | 545mm | 855mm | 86 Litre | TSSBB1 |
| TSSBB2T | 530mm | 510mm | 560mm | 86 Litre | TSSBB2 |
| TSSBB4T | 530mm | 520mm | 540mm | 86 Litre | TSSBB4 |

IBC Funnel

- Large diameter for easy decanting into IBCs.
- Avoid spills and keep the area free of slip hazards.
- Available with or without hinged lid.
- Tough polyethylene construction for maximum durability.

| Item Code | Description | Diameter | Weight |
|------------|------------------------|----------|--------|
| TSSDF200 | IBC Funnel With Lid | 640mm | 5kg |
| TSSDF200-Z | IBC Funnel Without Lid | 640mm | 4kg |

IBC Spill Containment Units









Single IBC Spill Containment Unit - No Grate

- Cost effective storage for single IBC (1000L tank).
- Over 110% of tank capacity available in the sump.
- Fitted with drain plugs or easy decontamination..
- Made from 100% virgin polyethylene resin.
- Can also be loaded with standard wooden pallets.

| Item Code | Length | Width | Height | Weight | Sump | Max Load |
|-----------|--------|--------|--------|--------|---------|----------|
| TSSBB3 | 1590mm | 1455mm | 715mm | 80kg | 1125 Lt | 1500kg |

Dual IBC Spill Containment Unit - No Grate

- Relocatable storage solution for 2 x IBC or 8 x 205L drums.
- Mould design provides high strength to weight ratio.
- Virgin polyethylene for maximum chemical resistance.
- Fitted with drain plug for easy recovery of spilled liquids.
- Weather-proof covers & overflow trays also available.
- Huge 1150L sump meets storage requirements.

| Item Code | Length | Width | Height | Weight | Sump | Max Load |
|-----------|--------|--------|--------|--------|---------|----------|
| TSSBB4 | 2340mm | 1360mm | 510mm | 85kg | 1150 Lt | 2800kg |

IBC Spill Containment Unit Cover

- Designed for use with TSSBB1 & TSSBB2 Spill Pallets.
- Protect the load and sump from rainwater.
- Safely store IBCs in outdoor locations.
- Elastic shock cord keeps the cover in place.
- Made from heavy-duty coated PVC.

| Item Code | Description |
|-----------|---|
| TSSBB1C | Single IBC Spill Containment Unit Cover |
| TSSBB2C | Dual IBC Spill Containment Unit Cover |

IBC Splatter Guard

- Designed to cover a standard IBC (1000L) tank.
- Directs splatter and trajectory spill back to the sump.
- Clear front in order to easily identify the IBC contents.
- Welded seams to prevent leakage.
- Rope ties keep the cover in place in all conditions.

| Item Code | Description |
|------------|-------------------------------------|
| TSSIBCPCCF | Clear Front IBC Tank Splatter Guard |

Spill Decks



The Spill Deck is built tough and comes in three sizes. These Spill Decks can be configured to create non-slip bunded liquid handling workstations and storage areas to fit your working environment.

Two sizes of ramps are available to make loading the Spill Deck with pallet jacks and hand trolleys easy.





- Ideal for small decanting or waste oil collection point.
- Low profile for ease of loading.
- Can be fitted with drain plugs if required.
- Seamless design for maximum sump security.
- Tough polyethylene construction for maximum durability.
- Removable non-slip grates makes cleaning easy.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1260mm | 860mm | 150mm | 20kg | 150 Litre | 1000kg |



TSSBF4 4-Drum Square Spill Deck

- Designed to hold 4 x 205 litre drums.
- Huge 300L sump complies with EPA requirements.
- Drain plugs available for easy removal of spilled liquids.
- Seamless design for maximum sump security.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|--------|--------|--------|-----------|----------|
| 1660mm | 1260mm | 150mm | 40kg | 300 Litre | 2000kg |









TSSBF4S 4-Drum In-line Spill Deck

- Designed to hold 4 x 205 litre drums.
- Low profile for ease of loading.
- Can be fitted with drain plugs if required.
- Seamless design for maximum sump security.
- Corrosion-free polyethylene construction.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 2610mm | 860mm | 150mm | 48kg | 300 Litre | 2000kg |

TSSBF1 1-Drum Floorbund

- Ideal for small decanting or liquid collection area.
- Low profile for ease of loading.
- Can hold up to 10 x 25 litre containers.
- Seamless design for maximum sump security.
- Polyethylene construction for maximum durability.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 920mm | 720mm | 175mm | 15kg | 100 Litre | 300kg |

TSSBFR Compact Spill Deck Ramp

- Ideal for confined areas requiring ramp access.
- Ramp attaches to spill deck for extra stability.
- Moulded grips reduce slippage.
- Tough single piece moulded polyethylene.
- Not suitable for 1-Drum Floorbund.

| Length | Width | Height | Weight | Max Load |
|--------|-------|--------|--------|----------|
| 650mm | 800mm | 165mm | 9kg | 300kg |

TSSBFR2 Large Spill Deck Ramp

- Gentle incline for heavier loads.
- Suitable for hand trolley and pallet jack.
- Raised moulded grips to reduce slippage.
- Seamless design for maximum sump security.
- Polyethylene construction for maximum strength.

| Length | Width | Height | Weight | Max Load |
|--------|--------|--------|--------|----------|
| 1740mm | 1000mm | 160mm | 28kg | 900kg |

Flammable Liquid Storage Cabinets

The Spill Station Australia range of Flammable Goods Cabinets are Australian Made and built to comply with the Australian Standard AS1940-2004 for the storage of flammable and combustable liquids.









BCFLS30L

BCFLS60L

BCFLS160L

BCFLS100L









BCFLS250LEC

BCFLS250

BCFLS250E



BCFLS250LHD

- All cabinets comply with AS1940-2004.
- Designed for use with all Class 3 liquids.
- 3-points self latching facility.
- Ventilation ports with built-in flame arrestors.
- Cabinets come with all required signage attached.
- Full instructions attached to the inside of the door.
- Continuous piano hinge ensuring smooth door closure.
- Built-in ground connector.
- Baked enamel lead-free finish eliminates corrosion.
- Sequentially closing doors.
- Made from double skin 1.2mm zinc coated steel.

| | Flammable Liquid Storage Cabinet | | | | | |
|-------------|---|---------------------|----------------|------------|---------------|----------------|
| Item Code | Description | Capacity (Litre) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) |
| BCFLS30L | Metal, 1 Door, 1 Shelf, 6 x 2.5L Bottles | 30 | 800 | 505 | 460 | 53 |
| BCFLS60L | Metal, 1 Door, 2 Shelf, 12 x 2.5L Bottles | 60 | 1065 | 505 | 460 | 62 |
| BCFLS100L | Metal, 2 Door, 1 Shelf, 15 x 2.5L Bottles | 100 | 800 | 920 | 615 | 100 |
| BCFLS160L | Metal, 2 Door, 2 Shelf, 6 x 20L Cans | 160 | 1295 | 1100 | 460 | 138 |
| BCFLS250L | Metal, 2 Door, 3 Shelf, 9 x 20L Cans | 250 | 1825 | 1100 | 500 | 187 |
| BCFLS250LE | Metal, 1 Door, 3 Shelf, 12 x 20L Cans | 250 | 1825 | 760 | 830 | 196 |
| BCFLS250LEC | Metal, 2 Door, 3 Shelf, 12 x 20L Cans | 250 | 1825 | 1430 | 580 | 229 |
| BCFLS250LVD | Metal, 1 Door for 205L Drum Vertical | 205 | 1760 | 840 | 795 | 180 |
| BCFLS250LHD | Metal, 1 Door for 205L Drum Horizontal | 205 | 1435 | 820 | 1240 | 170 |

Corrosive & Toxic Substance Cabinets





BCCLS30L

BCCLS100L









Built from highest quality Australian materials, these Corrosive Substance Storage cabinets are designed to comply with the Australian Standard AS3780-1994



BCCLS160L

- Designed for use with Class 8 liquids as defined in the ADG Code.
- Baked enamel finish inside and out eliminates corrosion.
- 3-points self latching facility. Capable of being opened from inside.
- Cabinets come with all required signage attached.
- Ventilation ports with built-in flame arrestors.
- Fully adjustable shelves with corrosion resistant polyethylene trays.

| | Flammable Lid | uid Storage Cabinet | | | | |
|-----------------------|---|---------------------|----------------|------------|---------------|----------------|
| Item Code Description | | Capacity (Litre) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) |
| BCCLS30L | Metal, 1 Door, 1 Shelf, 6 x 2.5L Bottles | 30 | 800 | 505 | 460 | 53 |
| BCCLS60L | Metal, 1 Door, 2 Shelf, 12 x 2.5L Bottles | 60 | 1065 | 505 | 460 | 62 |
| BCCLS100L | Metal, 2 Door, 1 Shelf, 15 x 2.5L Bottles | 100 | 800 | 920 | 615 | 100 |
| BCCLS160L | Metal, 2 Door, 2 Shelf, 6 x 20L Cans | 160 | 1295 | 1100 | 460 | 138 |
| BCCLS250L | Metal, 2 Door, 3 Shelf, 9 x 20L Cans | 250 | 1825 | 1100 | 500 | 187 |







- All Toxic Substance Cabinets comply AS4452:1997.
- Designed for use with all Class 6.1 substances.
- Self closing 3-point self latching doors.
- Fully welded 150mm liquid tight sump in all cabinets.
- Cabinets come ready to use with all required signage attached.

| | Flammable Liquid Storage Cabinet | | | | | |
|-----------|----------------------------------|---------------------|----------------|------------|---------------|----------------|
| Item Code | Shelves | Capacity (Litre) | Height (mm) | Width (mm) | Depth (mm) | Weight (kg) |
| BCTSS30L | 1 | 30 | 800 | 505 | 460 | 53 |
| BCTSS60L | 2 | 60 | 1065 | 505 | 460 | 62 |
| BCTSS100L | 1 | 100 | 800 | 920 | 615 | 100 |
| BCTSS160L | 2 | 160 | 1295 | 1100 | 460 | 138 |
| BCTSS250L | 3 | 250 | 1825 | 1100 | 500 | 187 |
| 501002002 | | 200 | 1020 | 1100 | | 107 |

Eye/Facewash Equipment











Covered Eye-Facewash with Intergral Lid

This breakthrough in Emergency Eye/Facewash Units is safer and more effective than other units.

The H-STD45G eyewash ensures that the unit in protected from contaminants at all times. When opened, the flow of flushing water begins immediately.

- Standard Fittings
- Integral pull-down lid to start water flow
- Stainless steel piping
- Aerated diffusers
- Flow regulator
- Self adhesive pictogram sign

| Item Code | Description |
|------------|---------------------------------------|
| H-STD45K | Wall Mounted Covered Eye/Facewash |
| H-STD45GSP | Pedestal Mounted Covered Eye/Facewash |
| H-EXP45GT | Bench Mounted Covered Eye/Facewash |
| H-TFC | Optional Foot Control Pedel |

Eye-Facewash with Stainless Steel Bowl

This fully compliant eye/facewash with stainless steel bowl is available as a wall mounted or pesdestal mounted option.

| Item Code | Description |
|------------|-------------------------------|
| H-STD85G | Wall Mounted Eye/Facewash |
| H-STD85GSP | Pedestal Mounted Eye/Facewash |
| H-TFC | Optional Foot Control Pedel |

Wall Mounted Sign and Eyebath

Wall Mounted Emergency Eyebath and Safety Sign. The Eyebath attachment is on a flexible hose incorporating a handle, removable Eyebath cup and dust cover.

| Item Code | Description |
|-----------|--------------------------------|
| H-STD35G | Wall Mounted Eyebath with sign |

Optiflex Hand Held Eye, Face & Body Shower

This hand held eye, face & body shower has a unique lock on valve. The Optiflex100 can be mounted to a wall or safety shower. The Optiflex500 dual cup eyebath comes with wall mounting bracket. Both units are supplied with 1.5m reinforced hose.

| Item Code | Description |
|-------------|------------------------------------|
| H-OPTI100 | Wall Mounted Single Cup Optiflex |
| H-OPTI100SM | Shower Mounted Single Cup Optiflex |
| H-OPTI500 | Wall Mounted Dual Cup Optiflex |

Self-Contained Safety Shower/Eyewash









Portable Interim Safety Shower & Eyewash

The 114 litre carbon steel cylinder is polypropylene lined to avoid internal corrosion. Painted with acid resistant paint and fitted with 'Emergency Shower' signs. This unit is easily filled by connecting to a mains water supply via a 15 or 20 mm hose pipe and pressurised via a standard Schrader valve. It is moved using the attached stainless steel trolley with pneumatic wheels. This Mobile Emergency Safety Shower is designed as a quick response, first-aid device for use where a plumbed-in unit is not available and must therefore be backed up by a method of further decontamination.

| Item Code | Description |
|-------------|--------------------------------|
| H-STD40K | Portable Safety Shower |
| H-STD45GM | Portable Eye/Face Wash |
| H-STD40K45G | Portable Safety Shower/Eyewash |

Portable Gravity Fed Eyewash

- Provides 15mins of decontaminating flow as specified in AS4775.
- Includes one bottle bacteriostatic additive.
- Wall mounting bracket included with each eyewash.
- Thermal protection jacket available for outdoor use

| Item Code | Description |
|-----------|--------------------------------------|
| H-P400 | Portable Gravity Fed Eyewash |
| H-P400TJ | Thermal Protection Jacket for H-P400 |
| H-ANTBAC | Bacteriostatic Water Additive |

Portable Pressurised Eyewash

These pressurised eyewash units come in 2 sizes, 9 & 45 litres. Both are fitted with a pressure gauge and standard schrader valve. The 9 litre unit can deliver copious amounts of aerated water for 1 $\frac{1}{2}$ minutes via the attached drench hose. The 45 litre unit can delivery flushing water for 4 minutes via the twin aerated eyewash fountain.

| Item Code | Description |
|-----------|---------------------------------|
| H-STD28G | 9L Pressurised Interim Eyewash |
| H-STD58G | 45L Pressurised Interim Eyewash |

Eyewash Solution Bottles

This sterile, buffered, isotonic solution has a twist off, tamper evident cap and a 4 year shelf life. It is designed to provide a controlled rate of flow. Available in stand alone bottles or wall mounted eyewash station.

| Item Code | Description |
|-----------|---------------------------------------|
| EWB148 | 148ml Eyewash Bottle |
| EWB472 | 472ml Eyewash Bottle |
| EWB944 | 944ml Eyewash Bottle |
| EWB472WM | Eyewash Station with 2 x 472ml Bottle |
| EWB944WM | Eyewash Station with 2 x 944ml Bottle |

Indoor Emergency Showers/Eyewash



The main thing to know is we stand behind our product. All units in the Hughes Safety Shower range have a 2 year warranty. That is double the warranty of any other shower supplier in Australia.

Valves:

- Virtually unbreakable.
- Purpose built patented design.
- Full bore ball valve.
- PTFE seals.
- Made from fully 316 stainless steel.
- 360° positively engaged spindle.
- Fully enclosed valve stop assembly.
- Glass reinforced nylon lever.



Spray Nozzle:

- Heavy duty glass reinforced moulded nylon construction.
- Cyclonic delivery conical spray profile.
- Complies with ANSI & Australian Standard spray profile requirements even at lower water pressures.
- Unlike common shower roses it will not become blocked by smaller particles.



Piping:

- All pipes are made from semi-polished 304L stainless steel.
- All fittings are made from 316 stainless steel.
- Full 316 stainless steel models are also available.

Construction:

The modular approach to construction provides maximum flexibility. All optional fittings including eyewash, eyewash operation pedal, signage and lighting can be easily retro-fitted to your safety shower if required.



| Indoor Emergency Shower/Eyewash Equipment | |
|---|--|
| Item Code | Description |
| H-EXP18GS | Stainless Steel Safety Shower |
| H-EXP18GS85G | Stainless Steel Safety Shower and Eye/Facewash |
| H-EXP18GS45G | Stainless Steel Safety Shower and covered ABS Eye/Facewash |
| H-EXP23GSH | Stainless Steel Wall Mounted Safety Shower |
| H-EXP23GSV | Stainless Steel Ceiling Mounted Safety Shower |

Your safety shower may be compliant but is your water temperature?



When the sun heats up shower pipes it can increase water temperature to over 50°C. Using this water to flush skin and eyes damaged by chemical burns can cause considerable damage.

The Self Draining Safety Showers are designed to drain the water out of the shower and eyewash pipes when not in use and prevent scalding from water overheated by exposure to the sun.

The unique conical profile shower nozzle and solid spiggot 316 ball valve will ensure years of trouble free use.

This style safety shower is available as a combination shower/eye & face wash as well as a shower with body spray for multi-directional flushing.

Features:

- Full stainless steel pipes & fittings.
- Pipe wall thickness 2.3mm.
- Solid spiggot 316 ball valve.
- Conical profile shower nozzle.
- Bottom water inlet.
- Self-draining design.
- Complies with AS4775-2007
- Complies with ANSI Z358.1-2004
- Full 2 year warranty

Options:

- Foot control pedal for eyewash
- Scald protection valve
- Flow switch
- Compliant signage
- Audible/visual alarms
- Liahtina
- Anti-slip matting

Outdoor Safety Showers and Eye/Facewash

| Item Code | Description |
|----------------|---------------------------------------|
| H-EXPSD18GS85G | Outdoor Safety Shower w/ Eye/Facewash |
| H-EXPSD20GS | Outdoor Safety Shower w/ Bodyspray |

Scald Protection Valve



The Scald Protection Valve continually senses water temperature, automatically opens when the water reaches 35°C and bleeds overheated water from safety shower and eyewash supply lines. The valve closes when the water reaches 29.4°C.


Scald protection is provided with minimal water consumption. The unique plug and seat design offers the most reliable, tight shutoff available.

Features:

- Stainless steel body, fittings, spring and plug.
- Long service life & 3 year warranty.
- Narrow temperature band.
- Compact, low mass Fast response
- Ram-type plug for reliable tight shutoff
- Downstream actuator for greater sensitivity.
- Sensitive to temperature only.
- Unaffected by pressure variations.
- Easy installation with pipe wrench

| | Scald Protection Valve |
|-----------|------------------------------|
| Item Code | Description |
| H-AHATSP | Anti-Scald Valve 35°C-29.4°C |

Indoor/Outdoor Safety Shower Optional Extras



Safety Shower & Eyewash Signs

The Australian Standard AS4775 states that correct signage for each safety shower is a requirement of compliance. They are made from stove enamelled aluminium plate and over-lacquered fo extra protection. Signs come complete with bracket to attach to the shower

| Item Code | Description | Size (mm) |
|-----------|--|-----------|
| H-EWS | Eyewash Sign Metal Single Sided | 300 x 255 |
| H-SSS | Safety Shower Sign Metal Double Sided | 300 x 255 |
| H-ESS | Shower/Eyewash Sign Metal Double Sided | 300 x 400 |



Safety Shower Lighting

This safety shower lighting is made from impact resistant poly carbonate and GRP. Twin 18W green fluorescent tubes ensure your safety shower complies A S 4775. Comes complete with mounting pole and bracket. Available for hazardous and non-hazardous environments.

| Item Code | Description | Ingress Protection |
|-----------|---|--------------------|
| H-AULIGHT | Safety Sower Light, Twin Tube, Green, 18w | IP66 |



Optional Shower Rose Designs

In addition the the Conical Profile shower nozzle that comes standard with all safety showers, these traditional shower roses are also available. These shower rose options are available in stainless steel or high impact ABS capped plastic.

| Item Code | Description |
|-----------|----------------------------------|
| H-ABS | Yellow ABS Plastic Shower Rose |
| H-SSR | Stainless Steel Shower Rose |
| H-PNR | Red Nylon Plastics Shower Nozzle |



Foot Operation Pedal

In addition to the standard hand operation, this foot operation pedal is also available for all plumbed-in eyewash units. It is made of powder coated stainless

| Item Code | Description |
|-----------|----------------------|
| H-TFC | Foot Operation Pedal |



Flow Switch & Alarms

Other options including audible/visual alarms, flow switches and flange connectors are also available. The flow switch can trip a local or remote alarm and ensure the user gets fast first aid attention. Both units are available for hazardous and non-hazardous areas.

| Item Code | Description | Ingress Protection |
|-----------|----------------------------------|--------------------|
| H-FSNH25 | Flow Switch, Non Hazardous, 25mm | IP66 |
| H-AUDVIS | Audible/Visual Alarm | IP65 |

Laboratory Safety Shower & Eyewash Equipment







Floor Mounted Laboratory Emergency Shower with Eye/Facewash

Floor Mounted Laboratory Emergency Shower with Eye/Facewash Fountain has a shower rose (stainless steel as standard fitting) and is pull rod operated. The Eye/Facewash has twin spray aerated nozzles with dust covers and is push plate operated. The water jets lift off the dust covers when operated and the height of the jets is adjustable using an integral flow regulator valve (shown with optional Optiflex). This shower/eyewash combination unit is finished in two-pack green enamel paint.

Standard Features:

- Stainless steel eye/face wash with aerated diffusers, dust covers, flow regulator and push pad.
- Hand operated pull rod shower control.
- Stay-on ball valve.
- Stainless steel shower rose.
- Stainless steel tubulars.

| Item Code | Description |
|--------------|--|
| H-STD85G | Wall Mounted Stainless Steel Eyewash |
| H-STD85GP | Pedestal Mounted Stainless Steel Eyewash |
| H-LAB18GS85G | Safety Shower & Eyewash Combination |

Bench Mounted Eye/Facewash

This covered eyewash is made from high impact ABS plastic. When the cover is opened, the flow of water commences immediately. This eyewash incorporates a flow regulatior and twin aerated diffusers. Signage is also included.

| Item Code | Description |
|-----------|----------------------------|
| H-STD45GT | Bench Mounted Eye/Facewash |

Non-Slip Safety Shower Mat

When floor surfaces, especially in a laboratory, become wet they can also become very slippery. These mats are designed for use under emergency showers or eyewash stations. The mats keep accident victims from slipping and raise them above the overflow area as the hazardous chemicals are washed away. The highly visible yellow borders are 153mm wide with a gradual slope for easy access. Easy to clean. Sweep or dry mop surface. Can be mopped with mild soap or detergent.

| Item Code | Description |
|-----------|--------------------------------------|
| H-NSM | Non-Slip Safety Shower & Eyewash Mat |

Self-Contained Safety Shower/Eyewash



1200L Tank Shower with optional extras

This range of heavy duty tank showers and eyewash units, are ideal for areas where piped water supply is not available or water pressure cannot maintain a compliant flow rate.

The 1200L model provides 15 minutes of flushing water to ensure compliance with the Australian and ANSI standard for safety shower and eyewash equipment.

The 350L model is best suited to areas where piped water is available but pressure is not able to provide the 75 litres per minute required.

Standard features:

- Stainless steel frame and shower rose
- Glass reinforced plastic tank shell
- Insulated food grade plastic water storage tank
- External water level indicator
- External shower test handle
- 3/4 inch female BSB tank fill point
- All tank showers come with signage attached.
- Panic bar operation

| Item Code | Description |
|--------------|----------------------------------|
| H-EXPJKS350 | 350 Litre Emergency Tank Shower |
| H-EXPJKS1200 | 1200 Litre Emergency Tank Shower |

Tank Shower Optional Extras



integral lid connected to the water valve to automatically operate the unit when the lid is lifted. The lid also ensures that the bowl remains clean and free from contamination at all times.

Mounted on the inside of the shower frame, the Emergency Eyewash incorporates an

| Item Code | Description |
|------------|--|
| H-TSEF1200 | Complete Eyewash Unit For Use With Tank Shower |



- Integrated stainless steel pump
- Maintains compliant water temp in ambient temperatures to 60°C
- Standard 10A plug
- R134a Refrigerant for durability in high ambient conditions
- Can be mounted to shower equipment or be free standing
- IP rated electrical box
- High and low pressure safety protection
- 316 Stainless steel evaporator
- Suitable for operation in ambient temperatures to 60°C
- Epoxy coated condenser for anti corrosion protection

| Item Code | Description |
|---------------|---|
| H-TSCU1200 | Chiller Unit for 1200L Tank Shower Non Hazardous |
| H-TSCU1200Z12 | Chiller Unit for 1200L Tank Shower Zone 1 & 2 Areas |

Tank Shower Optional Extras











Solar Protection Shields

When operating in extreme temperatures, Tank Showers can be fitted with Solar Shields to protect the water in the tank from the effects of heat transfer by conduction, convection and radiation. They also increase chiller efficiency.

| Item Code | Description |
|-----------|---|
| H-TSS1200 | Solar Shield for 1200 Litre Tank Shower |

Tank Shower Lighting

Light Boxes enable the safety signs to be back-lit for greater visibility on dull days or at night. They also ensure that the shower and/or eyebath/facewash are easy to see at all times as recommended in the AS4775.

| Item Code | Description |
|-----------|---|
| H-TSLNFLP | Tank Shower Lighting for Non-Hazardous Ares |
| H-TSLZ12 | Tank Shower Lighting for Zone 1&2 Areas |

Tank Shower Cubical Panels

The GRP cubical panelling is designed to minimise overspray especially when the tank shower is located in an exposed area. These panels are sold and fitted in the factory as a set of 3.

| Item Code | Description |
|-------------|-------------------------------------|
| H-TSGRP1200 | GRP Panels for Tank Shower Cubicles |

Shower Sump and Walk-On Grate

The walk-on tank shower panel is made from galvanised steel. Is spring loaded and connected to the panic bar with stainless steel jack chain. When the shower operation panel is depressed, a flow of flushing water starts within one second.

The GRP sump with stainless steel frame fits beneath the tank shower. The sump collects the water and allows it to drain to a single point.

| Item Code | Description |
|-----------|----------------------------------|
| H-TSP1200 | Walk-on Shower Operation Panel |
| H-TSSUMP | GRP Sump & Stainless Steel Frame |

Shower & Eyewash Proximity Switch

Proximity switches can be fitted to the tank shower. When the shower/ eyewash is operated, the proximity switch activate to turn on a local or remote alarm. Ideal for unmanned sires and remote locations.

| Item Code | Description |
|---------------|--|
| H-STD22KENFLP | Eyewash Proximity Switch Non-Hazardous |
| H-STD22KNFLP | Shower Proximity Switch Non-Hazardous |
| H-STD22KEZ12 | Eyewash Proximity Switch Zone 1 & 2 |
| H-STD22KZ12 | Shower Proximity Switch Zone 1 & 2 |









TSSBT230 Mobile Dispensing Station

- Safely move 205L drums from vertical to horizontal.
- Genuine single person operation. No forklift required.
- Lockable 3rd wheel for easy manoeuvring.
- Single piece moulded polyethylene with 230L sump.
- Double ratchet straps for extra load security.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|-----------|----------|
| 1600mm | 740mm | 640mm | 44kg | 230 Litre | 300kg |

| TSSDB4 Poly Racker | | | | | |
|---------------------|--------|--------|--------|-----------|----------|
| Length | Width | Height | Weight | Sump | Max Load |
| 1390mm | 1250mm | 490mm | 50kg | 400 Litre | 1250kg |
| TSSDBC Poly Stacker | | | | | |
| Length | Width | Height | Weight | Sump | Max Load |
| 1240mm | 795mm | 490mm | 25kg | | 600kg |

- Decant from 205 litre drums in a safe bunded area.
- Huge 400L sump makes recovering spilled liquids easy.
- Seamless design for maximum sump security.
- Racker (base unit) and Stacker sold seperately.

TSSSBS Single Drum Cradle

- Very stable cradle for decanting horzontal 205L drums.
- Slightly sloped to allow maximum removal of liquids.
- Made from polyethylene for excellent chemical resistance.
- Can be used in conjunction with spill pallets and Maxitray.
- Single piece rotomoulded construction for extra strength.

| Length | Width | Height | Weight | Max Load |
|--------|-------|--------|--------|----------|
| 730mm | 875mm | 765mm | 10kg | 300kg |

TSSPDDH Poly Drum Dolly

- Ideal for mobile fluid collection and vertical dispensing.
- Avoid spills by taking your drum to the job.
- Collect incidental spills and prevent slip hazard
- *Overall sump height 255mm for ease of loading.
- Sturdy handle and rotating lockable castors.

| Length | Width | Height | Weight | Sump | Max Load |
|--------|-------|--------|--------|----------|----------|
| 725mm | 725mm | 990mm* | 15.5kg | 30 Litre | 300kg |

Drum Handling & Decanting









Poly Drum Funnel

- Perfect solution for waste oil collection point.
- Large stable surface area allows for controlled pouring.
- Drain containers and oil filters before disposal.
- Available with or without the hinged lid.
- Tough polyethylene construction for maximum durability.

| TSSDF1 Poly Drum Funnel | | | |
|-------------------------|--------|--------|--|
| Diameter | Height | Weight | |
| 610mm | 230mm | 4kg | |

Drum Topper

- Prevent corrosion of drums stored outside.
- Locks onto the drum but is easily removed when required.
- Slanted lid prevents buildup of rainwater.
- Made of UV stabilised polyethylene.

| Item Code | Description | Size |
|-----------|-----------------------------------|-------------------|
| TSSDL2 | Secure Polyethylene 205L Drum Lid | 630(dia)x160(H)mm |

Drum Grab

- SWL of 1 tonne (AS4991 2004 Lifting devices).
- Genuine single person operation. Attaches in seconds.
- Suitable for use with all steel drums and most plastic drums.
- Can lift drums from and lower to both horizontal and vertical.
- Winner of the New Inventors Judges & Peoples Choice Award.

| Item Code | Description | SWL |
|-----------|-------------------------------|--------|
| TSSDGT | Drum Grab Drum Lifting Device | 1000kg |

Multi Lifter

- Designed to safely move both open and closed top drums.
- Positive lock-on feature leaves the operator to control loading.
- Ideal for loading the Drum Dolly, Overpack and 1-Drum Tray.
- Comes fitted with chain and head ring.
- Safe working load of 500kg.

| Item Code | Description | SWL |
|-----------|-------------------------------|-------|
| TSSSPDL | Open & Closed Top Drum Lifter | 500kg |









Collapsible Dive Over Bunding

- Eliminate spill from forklifts caused by rigid bunding.
- Compresses to minimise movement of forklift loads.
- Springs back to shape after vehicle passes.
- Cost-effective D.I.Y retrofit bunding.
- Can be driven over after 24 hours.
- Ideal for bunding across pedestrian and roller doors.
- Constructed from coated PVC and 100% memory foam.
- Compresses to minimise movement of forklift loads.
- Each Drive-over Bunding Kit contains: 220mm x 75mm(H) Bunding

PVC Adhesive

Masonry Anchors

Sikatank Sealant

Aluminium Reinforcing Flatbar

Step-by-Step Instructions

| Item Code | Description |
|-----------|---------------------------------------|
| TSSDOB10 | 10 metre Drive-over Bunding Kit |
| TSSD0B5 | 5 metre Drive-over Bunding Kit |
| TSSD0B2 | 2 metre Drive-over Bunding Kit |
| TSSDOBC | Corner Section Drive-over Bunding Kit |

Portable Wash Bay





- Compliance made cost-effective and easy to use.
- Perfect for mobile vehicle washdown and detailing.
- Folds down to 600x800x350mm
- Foam ends allow for drive through applications.
- Constructed from heavy-duty coated PVC.
- Can be made to any size required.

| Item Code | Description | Size | Weight |
|-----------|---------------------|------|--------|
| TSSWPS | Car & Truck Washpad | | 20kg |

- Simply attach to 12v battery and flick the switch.
- Self-contained pump include 2m of hose.
- Battery not included.

| Item Code | Description | Flow Rate |
|-----------|-----------------------------|-----------|
| TSSBBP | Self-contained Washpad Pump | 15L/min |



Stormwater Drain Seal

- Cover critical drains and keep spill onsite.
- Designed to be deployed by a single worker.
- Includes hi-vis bag and wall mounted storage hook.
- Adheres to drain surround for maximum seal.
- Wash with soap &water and reuse.
- Manufactured from chemically resistant PVC.


| Item Code | Description | Size |
|-----------|-----------------------|---------------|
| TSSDS1 | Stormwater Drain Seal | 810 x 950mm |
| TSSDS2 | Stormwater Drain Seal | 1100 x 1100mm |



Flat Drain Guard

- Removes up to 99.8% of hydrocarbons from runoff.
- Prevents solids from entering stormwater.
- Overflow holes prevent stormwater blockage.
- Suits flat stormwater drains up to 1m x 1m.
- Easy D.I.Y installation instructions included.
- Absorbent pockets added for extra protection.

| Item Code | Description | Size |
|-----------|-----------------------------|---------------|
| TSSFDG | Flat Stormwater Drain Guard | 1100 x 1100mm |



Flexible Spill Barrier

- Reusable nonabsorbent spill containment barrier.
- Sticky exterior adheres to ground for maximum seal.
- Made of chemically resistant PVC.
- Wash with soap & water to recharge sticky exterior.
- Packed in hi-vis bag and wall mountable hook.
- Joiners available at no additional charge.
- This flexible unit can be shaped to fit your requirement.

| Item Code | Description | Size |
|-----------|------------------------|--------------|
| TSSFB | Flexible Spill Barrier | 2m x 70mm(H) |



1-Drum Round Spill Tray

- Perfect for use with rotary pumps.
- Collect incidental spills and prevent slip hazards.
 Ideal as bunding around waste oil collection points.
- Rotomoulded for extra strength.
- Made from chemicall resistant polyethylene.

| Item Code | Capacity | Height | Length | Width |
|-----------|----------|--------|--------|-------|
| TSSBT50 | 50 Litre | 230mm | 610mm | 610mm |



Bench-top Spill Trays

- Designed for benchtop use.
 Perfect for lab applications.
 Spills drain safely to the sump.
- Chemical resistant polyethylene.

| Item Code | Capacity | Height | Length | Width |
|-----------|------------|--------|--------|-------|
| TSSBB25 | 27.5 Litre | 110mm | 550mm | 550mm |
| TSSBB50 | 29 Litre | 110mm | 715mm | 460mm |





| Drip and Storage Trays | | | | | | | |
|------------------------|-----------|--------|--------|--------|--|--|--|
| Item Code | Capacity | Height | Lenght | Width | | | |
| TSSDTM | 20 Litre | 100mm | 610mm | 410mm | | | |
| TSSDTL | 45 Litre | 100mm | 810mm | 610mm | | | |
| TSSTTS | 45 Litre | 170mm | 630mm | 590mm | | | |
| TSSTT65 | 65 Litre | 150mm | 1000mm | 550mm | | | |
| TSSTT100 | 100 Litre | 120mm | 1000mm | 1000mm | | | |







Tuff Storage Trays

- Provides safe, bunded storage for small drums and containers.
- Ideal for use with batteries, drums, machine parts, etc.
- Ribbed base design provides additional strength and spill clearance.
- Chemical resistant rotomoulded polyethylene for superior durability.

| Item Code | Description | Capacity | Height | Length | Width | Load UDL | |
|-----------|------------------|-----------|--------|--------|-------|----------|--|
| TSSGPT1 | Medium Tuff Tray | 110 Litre | 295mm | 730mm | 730mm | 260kg | |

Drum Overpacks







TSS1230

Salvage Drums and Overpacks

- Approved for use with Packaging Group I, Il & III.
- Certified for use as DOT Salvage Drums, 49 CFR 173.3(c)
- Made of high density polyethylene.
- Tool free screw-down closure.
- Gasket lid for positve seal.
- Superior strength with UV inhibitors.
- Nestable for convenient storage.
- Store & ship 25, 60 & 205L drums.
- Ideal weatherproof spill kit container.
- UL 94HB Flammability Rating.
- FDA 21 CFR 177.1520 Food Grade.

| Item Code | Capacity (Litre) | Height (mm) | Diameter Top (mm) | Diameter Bottom (mm) | Weight (kg) |
|-----------|------------------|-------------|-------------------|----------------------|-------------|
| TSS1237 | 360 | 1098 | 787 | 683 | 21 |
| TSS1230 | 114 | 720 | 570 | 420 | 6.3 |
| TSS1220 | 76 | 520 | 520 | 425 | 5.8 |





| Mobile Bins | | | | | | |
|-------------|----------|--------|--------|-------|--------|--|
| Item Code | Capacity | Height | Width | Depth | Weight | |
| X-BIN660 | 660L | 1200mm | 1225mm | 770mm | 45mm | |
| X-BIN240 | 240L | 1060mm | 580mm | 640mm | 15.5mm | |
| X-BIN140 | 140L | 920mm | 535mm | 550mm | 11.4mm | |

Large Storage Containers



These large storage containers are made from plotethylene and come standard with hinged lockable lid.

| Large Storage Containers | | | | | | |
|--------------------------|--------|--------|--------|------------|--|--|
| Item Code | Length | Width | Height | Capacity | | |
| TSSPSB1 | 1265mm | 855mm | 910mm | 350 Litre | | |
| TSSPSB2 | 1460mm | 1010mm | 975mm | 1000 Litre | | |

Carts & Trolleys





| Maintenance Carts & Trolleys | | | | | | | |
|------------------------------|----------|--------|--------|-------|--------|--|--|
| Item Code | Capacity | Height | Width | Depth | Weight | | |
| TSSPC | 60L | 965mm | 1360mm | 710mm | 40kg | | |
| TSSPMCXL4 | - | 1550mm | 650mm | 725mm | 39kg | | |
| TSSGPSC2 | 220L | 810mm | 875mm | 875mm | 20kg | | |
| TSSBT100 | 100L | 980mm | 900mm | 700mm | 18kg | | |